

Pool & Spa Signage for Fences/Walls & Decks

All are required by state law.

 <p>Installed inside pool or spa yard in plain view. "IN CASE OF EMERGENCY DIAL 911" must be at least one inch (1") high letters. Sect. 265.199.j.5</p>	 <p>Installed in plain view. "WARNING NO LIFEGUARD ON DUTY" must be at least four inch (4") letters. "CHILDREN SHOULD NOT USE POOL WITHOUT ADULT SUPERVISION" must be at least two inches (2") high. Sect. 265.199.f.1.C (Pool) Sect. 265.205.f.7 (Spa)</p>	 <p>Installed in plain view. The letters "NO DIVING" and the symbol must be at least four inches (4") high. Sect. 265.199.f.1.B</p>
 <p>Each entry gate/door of a pool or spa yard that is locked must have a sign on exterior of each entry stating or directing to location of phone. Letters/symbols must be at least one inch (1") high. Sect. 265.199.j.4</p>	 <p>Installed in plain view. Letters must be at least one inch (1") high and maximum user number filled in the proper space. Sect. 265.199.184.n</p>	 <p>Securely mounted and readily visible to the spa user from inside spa enclosure. All letters must be at least one inch (1") high. Sect. 265.205.f.7</p>
 <p>Located no closer than 5 ft from the spa unless the switch is a <i>non-electrical</i> air switch. Lettering must be at least one inch (1") high and located within sight of spa or there must be a sign visible from the spa in letters at least one inch (1") high stating location of emergency switch. Sect. 265.192 m</p>	<h1 style="text-align: center;">4 FT</h1> <p>Signage on the deck: Markers showing depth & unit of measurement must be at least four inches (4") in height; be of contrasting, permanent color; and placed at 2-foot increments of depth in the shallow and deep ends of pool. Sect. 265.199 c and 265.199 d</p>	 <p>Signage on the deck: Warning words "NO DIVING" & the international no diving symbol in contrasting colors and letters at least four inches (4") high must be placed where water depth is 6 feet or less and at every 25 feet or fraction thereof around pool area. A permanent structure within 5 feet of water surface must also have symbol and words permanently affixed to the structure. Sect 265.199.e.1 and 2</p>

These pictures are for illustration purposes only.
Refer to Texas Administrative Code Standards for Public Pools and Spa; Section 265 181 – 265.208 for complete rules and regulations. www.dshs.state.tx.us/poolspa/rules.shtm